

---

# INDEX

---

## A

- absolute group definition 7:13, 15
- active camera 3:12; 9:9–10; 10:26
- alternate object 3:16; 11:1, 10; 12:6; 14:5–6, 14–17, 20
- alternate representations 14:1–3, 13, 24
- ambient 1:3; 2:4; 3:5, 9; 6:1, 11–13, 15, 21; 9:11–13
- ambient color 2:4; 6:12–13
- ambient light 3:9; 6:13, 15, 21; 9:11–13
- analytic objects 6:8
- aperture, pick 3:14–11; 12:1, 7, 10
- applications, interactive 1:2
- aspect ratio 10:7
- asynchronous input 13:2
- attribute, pick ID 12:12
  - primitive 2:2; 4:2; 6:1–5, 12, 20; 8:7; 9:2–21, 18–19; 10:3, 16; 12:2–3, 19
- attribute stacking 4:13, 17; 6:1, 3; 8:1; 9:19
- attributes 1:2; 2:2–3, 5–6, 8; 3:2–3, 5, 7; 4:9–11, 13–15, 27; 5:2, 8, 26; 6:1–3, 7, 12, 15, 20; 7:3–21, 16; 8:1–2, 7; 9:1–3, 9, 11, 19; 10:2–4, 16, 26; 11:1–2, 5; 12:2–3, 19; 13:2
  - camera 3:9
  - default values 2:5
  - geometric transformation 3:10
  - global rendering 9:1, 11, 19
  - intensity 6:12
  - light 3:8
  - primitive 2:8; 3:3, 5; 4:13; 5:2, 26; 6:2–3, 7, 15, 20; 7:16; 8:2, 7; 9:19
  - studio object 3:8
  - text 3:7
  - texture 3:8
- autosizing 10:7

---

## B

backface culling 5:9, 26; 6:15; 12:4, 19  
background color 3:12; 10:4, 10, 26  
base primitives 14:1-3, 20, 24  
bit compression 3:14-27; 10:20-23, 26  
boundary, view 3:12; 10:4, 7, 10, 26  
bounding volumes 2:2; 11:1, 10; 12:1, 4, 6-7, 19

## C

callback function example 11:3  
callback objects 3:11-5; 11:1; 12:17; 13:4  
callbacks 11:2; 12:1-3, 17  
    pick 11:3; 12:1, 17  
camera, active 3:12; 9:9-10; 10:26  
camera attribute objects 9:2-3, 5  
camera attributes 3:9  
camera coordinates 9:1, 10  
camera position 2:9; 9:10  
camera projection coordinates 9:10  
camera projection matrix 9:1, 3, 5, 19  
camera type 2:9  
cameras 1:3; 2:1, 8, 10; 3:3, 8; 7:1-9, 11, 16; 9:1-3, 5-6, 8-11, 19;  
    10:2-3, 8, 26  
class identifiers 14:1  
clear flag 3:12; 10:4, 10, 26  
clipping 9:1-7, 3-4; 10:1, 6  
color, ambient 2:4; 6:12-13  
    background 3:12; 10:4, 10, 26  
    diffuse 2:4, 6; 3:5; 4:13; 5:26; 6:5-7, 12-13, 20  
    filter 6:14-15  
    light 9:1  
color model 2:3; 5:3-6, 23; 6:14  
color models 5:1  
    specular 2:4; 3:7; 6:13-5, 15  
    transparent 2:4; 6:21  
colored vertices 2:5  
colors, vertex 5:3, 5-6, 23  
component switches 6:12  
components, surface lighting 6:11-13, 21  
compression, bit 3:14-27; 10:20-23, 26  
computing bounding volumes 12:1, 19; 2:2  
constants 2:12  
conventions, function naming 3:1

---

naming 3:1; 14:1, 10  
coordinate system origin 7:12  
coordinates, camera 9:1, 10  
    camera projection 9:10  
    device 10:1, 6, 8, 27; 12:7  
    local 7:2, 16; 9:10; 12:12  
    modeling 5:4, 26; 7:1-2, 16; 12:12  
    world 7:16; 9:2, 10; 12:12  
count, reference 4:3, 26-27  
creating objects and groups 4:14  
creation routine 4:27-24; 14:4-5, 8, 10, 13, 20-21, 23  
CTM 7:9  
culling, backface 5:9, 26; 6:15; 12:4, 19  
current transformation matrix 6:5; 7:1-2, 6, 16

## D

data, private 3:16; 5:21, 27; 14:4, 6-7, 10-11, 13-17, 20, 24  
DCBOTF 12:11  
DcBottomFirst 12:11  
DCCNCV 5:15  
DCCNSH 5:5; 6:8  
DCCNVX 5:15  
DCCOMP 10:21  
DcComplex 5:15  
DcComponent 10:21  
DcConcave 5:15  
DcConstantShade 5:5; 6:8  
DcConvex 5:15  
DCCPLX 5:15  
DCHACC 12:17  
DcHitAccept 12:17  
DcHitOverwrite 12:17  
DcHitReject 12:17  
DCHOVW 12:17  
DCHREJ 12:17  
DCL 5:4-5, 10  
DCLC 5:4-6  
DCLN 5:4-5, 11  
DCLNC 5:4-6  
DcLoc 5:4-5, 10  
DcLocClr 5:4-6  
DcLocNrm 5:4-5, 11  
DcLocNrmClr 5:4-6  
DCMCBV 14:6, 14

---

DCMDR 14:6, 10, 16  
DCMDST 14:6, 15  
DcMethodCmpBndVolume 14:6, 14  
DcMethodDestroy 14:6, 15  
DcMethodDynRender 14:6, 10, 16  
DcMethodGlbrndIniObjs 14:6, 10, 16, 19  
DcMethodPick 14:6, 17  
DcMethodPrint 14:6, 18  
DcMethodStdRenderDisplay 14:6, 19  
DcMethodUpdStdAltObj 14:6, 18  
DCMGIO 14:6, 10, 16  
DCMPCK 14:6, 17  
DCMPRT 14:6, 18  
DCMSAO 14:6, 18  
DCMSRD 14:6, 19  
DCOUTL 6:8  
DcOutline 6:8  
DcPickAll 12:17  
DcPickClosest 12:17  
DcPickFirst 12:17  
DCPKAL 12:17  
DCPKCL 12:17  
DCPKFR 12:17  
DcPlainRoman 8:5  
DCPNTS 6:8  
DcPoints 6:8  
DcProductionTime 2:13; 9:11; 12:4  
DCPRTM 2:13; 9:11; 12:4  
DcRange 10:21  
DcRealTime 2:12; 6:16; 10:9; 12:4  
DCRGB 5:4  
DcRGB 5:4  
DCRGB 6:14  
DcRGB 6:14  
DCRLTM 2:12; 6:16; 10:9; 12:4  
DCRNG 10:21  
DcScaleXSlot 13:4  
DCSDAB 6:9  
DCSDFX 6:9  
DCSDRL 6:9  
DCSFSH 5:5; 6:8, 15  
DcSubDivAbsolute 6:9  
DcSubDivFixed 6:9  
DcSubDivRelative 6:9  
DcSubDivSegments 6:9

---

DCSURF 6:8, 15  
DcSurface 6:8, 15  
DcSurfaceShade 5:5; 6:8, 15  
DcTextHAlignCenter 8:4  
DcTextPathDown 8:5  
DCTHAC 8:4  
DCTOPF 12:11  
DcTopFirst 12:11  
DCTPD 8:5  
DCUALL 10:8; 12:4  
DCUDIS 10:8; 12:4  
DcUpdateAll 10:8; 12:4  
DcUpdateDisplay 10:8; 12:4  
DcVertexShade 5:5; 6:8  
DCVXSH 5:5; 6:8  
DCWIRE 5:8; 6:8, 15  
DcWireframe 5:8; 6:8, 11, 15  
DdInqExtent 3:13; 10:2, 5  
DdPickObjs 3:2–19, 13; 12:2, 7, 10–12, 18  
DDPO 3:13–19; 12:2, 7, 10–12, 18  
DDQE 3:13; 10:2, 5  
DDSCE 3:13; 10:2  
DDSDV 3:14; 10:2, 5, 7  
DdSetColorEntries 3:13; 10:2  
DdSetFrame 3:14; 10:2, 5  
DdSetPickAperture 3:14; 12:2  
DdSetPickCallBack 3:14; 12:2  
DdSetPickPathOrder 3:14; 12:2, 11, 19  
DdSetShadeMode 3:14; 10:2, 21  
DdSetShadeRanges 3:14; 10:2  
DdSetViewport 3:14; 10:2, 5, 7  
DDSF 3:14; 10:2, 5  
DDSPA 3:14; 12:2  
DDSPCB 3:14; 12:2  
DDSPPO 3:14; 12:2, 11, 19  
DDSSM 3:14; 10:2, 21  
DDSSR 3:14; 10:2  
DDU 2:12; 3:14; 4:7, 17, 27; 6:3; 10:2, 8; 12:2–3, 19  
DdUpdate 2:12; 3:14; 4:7, 17, 27; 6:3; 10:2, 8; 12:2–3, 19  
DEAC 3:15; 14:1, 8, 10  
DeAddClass 3:15; 14:1, 8, 10  
DECO 3:16–11; 14:1, 5, 10  
DeCreateObject 3:16; 14:1, 5, 10  
DeDeleteObject 3:16; 14:1, 15  
DED0 3:16; 14:1, 15

DEDOD 3:16; 14:1, 11, 15  
DEEA 3:16-17; 14:1, 6, 14, 16  
DeExecuteAlternate 14:1, 6, 14, 16-17  
default value 2:5; 5:8; 6:3  
default values for attributes 2:5  
definition, absolute group 7:13, 15  
definition group 2:11, 14; 3:12; 10:1, 3-4, 16, 26  
definition groups 10:1, 3; 12:2, 19; 9:10  
definition objects 10:1, 3-4, 8; 12:4  
    relative group 7:13-14, 17  
DeInitializeObjPick 14:1, 17  
DeInqPickable 14:1  
DeInqRenderable 14:1, 16  
DEIOP 14:1, 17  
DEQP 14:1  
DEQR 14:1, 16  
DEROD 3:16-17; 14:1, 11, 14  
device coordinates 10:1, 6, 8, 27; 12:7  
device functions 3:13  
device independence 1:2  
device viewport 3:13-14; 10:1, 5, 7, 27; 11:10; 12:6  
devices 2:10; 3:2-12, 13, 15; 4:9, 27; 9:8, 10; 10:1-2, 4-5, 8, 20, 27;  
    12:3  
DEWOD 3:16; 14:1, 11  
DfInqViewGroup 3:13; 10:2, 5  
DFQVG 3:13; 10:2, 5  
DFU 3:13; 4:7, 17, 27; 6:3; 10:2, 8; 12:2-3, 19  
DfUpdate 3:13; 4:7, 17, 27; 6:3; 10:2, 8; 12:2-3, 19  
DgAddObj 2:6; 3:12; 4:2, 7, 13, 19  
DgAddObjToGroup 3:12; 4:2-3, 7, 19; 10:4  
DGAO 2:6; 3:12; 4:2, 7, 19  
DGAOG 3:12; 4:2-3, 7, 19; 10:4  
DgClose 3:12; 4:2, 7  
DGCS 3:12; 4:2, 7  
DgInqElePtr 3:12; 4:2, 20  
DgInqObjAtPos 3:12; 4:2  
DgInqSize 3:12; 4:2  
DGO 3:12; 4:2, 7, 20  
DGQEP 3:12; 4:2, 20  
DGQOP 3:12; 4:2  
DGQS 3:12; 4:2  
DgReplaceObj 3:12; 4:2, 7, 23  
DgReplaceObjInGroup 3:12; 4:2-3, 25-26  
DGRO 3:12; 4:2, 7, 23  
DGROG 3:12; 4:2-3, 25-26

---

DGSEP 3:12; 4:2, 20, 23  
DGSEPL 3:12; 4:2, 20, 23  
DgSetElePtr 3:12; 4:2, 20, 23  
DgSetElePtrRelLabel 3:12; 4:2, 20, 23  
diffuse 1:3; 2:4, 6; 3:5; 4:13; 5:26; 6:1–14, 5–7, 11–13, 15, 20–21  
diffuse color 2:4, 6; 3:5; 4:13; 5:26; 6:5–7, 12–13, 20  
display group 2:11; 3:12; 10:1, 3–4, 16, 24, 26; 12:2, 6  
display groups 9:10; 10:1, 3, 16; 12:2, 4, 19  
display objects 4:2; 9:3; 10:1, 3–4, 8; 12:4  
display representation 6:1, 8, 20–21; 12:3  
divide, perspective 10:6, 8  
DOAMBI 3:5; 6:2, 12  
DoAmbientIntens 3:5; 6:2, 12  
DoAmbientSwitch 3:5; 6:2, 13  
DOAMBS 3:5; 6:2, 13  
DoAnnoText 3:4; 5:2; 8:1–2  
DOANNT 3:4; 5:2; 8:1–2  
DoBoundingVol 3:5; 11:1, 10; 12:2, 5  
DOBV 3:5; 11:1, 10; 12:2, 5  
DoCallback 3:10; 11:1–2, 11; 13:1  
DoCamera 3:8; 9:1, 3  
DoCameraMatrix 3:11; 9:1, 3, 5, 19; 10:7  
DOCB 3:10; 11:1–2, 11; 13:1  
DOCM 3:8; 9:1, 3  
DOCMX 3:11; 9:1, 3, 5, 19; 10:7  
DOD 3:10; 10:2, 5, 7, 20  
DoDevice 3:10; 10:2, 5, 7, 20  
DODIFC 3:5; 5:6; 6:2, 4, 13, 20–21  
DoDiffuseSwitch 3:5; 6:2, 12  
DODIFS 3:5; 6:2, 12  
DOES 3:5; 4:7, 26; 5:21; 7:12; 9:12–22; 10:23; 11:1; 14:3–4, 8–9, 15,  
20  
DoExecSet 3:5; 11:1; 14:5–2, 9  
DoFilter 3:5; 11:1, 5; 14:5  
DOFL 3:5; 11:1, 5; 14:5  
DOFR 3:10–5; 10:2, 4  
DoFrame 3:10–5; 10:2, 4  
DoGlbRendMaxObjs 3:9; 9:1, 11  
DoGlbRendMaxSub 3:9; 9:1, 11  
DoGlbRendRayLevel 3:9; 9:1, 11  
DOGRMO 3:9; 9:1, 11  
DOGRMS 3:9; 9:1, 11  
DoGroup 3:10; 4:2, 7, 13, 15  
DOGRRL 3:9; 9:1, 11  
DoHiddenSurfSwitch 3:5; 12:2, 5

DOHSS 3:5; 12:2, 5  
DOILG 3:10; 4:2  
DoInLineGroup 3:10; 4:2  
DoInputSlot 3:10-5; 13:1, 4  
DoInterpType 3:6; 5:5; 6:2, 8; 12:2  
DOIS 3:10-5; 13:1, 4  
DOIT 3:6; 5:5; 6:2-3, 8; 12:2  
DoLabel 3:11; 4:2  
DOLAF 2:9; 3:10; 7:1, 11; 9:2-12, 5  
DOLI 3:9; 9:1-2, 12  
DoLight 3:8; 9:1, 11  
DoLightAttenuation 3:8; 9:1, 14, 17  
DoLightIntens 3:9; 9:1-2, 12-15, 17  
DoLightSpreadAngles 3:9; 9:1, 15  
DoLightSwitch 3:6; 6:2; 9:18  
DoLightType 3:9; 9:1-2, 11  
DoLineList 3:4; 5:2-3, 6, 8  
DOLINL 3:4; 5:2-3, 6, 8  
DOLL 3:11; 4:2  
DoLookAtFrom 2:9; 3:10; 7:1, 11; 9:2-12, 5  
DOLSE 3:9; 9:1, 16  
DOLT 3:8; 9:1, 11  
DOLTA 3:8; 9:1, 14, 17  
DOLTS 3:6; 6:2; 9:18  
DOLTSA 3:9; 9:1, 15  
DOLTT 3:9; 9:1-2, 11  
DOPAR 3:9; 9:1-3, 5; 10:7  
DoParallel 3:9; 9:1-3, 5; 10:7  
DOPER 3:9; 9:1-3, 5; 10:7  
DoPerspective 3:9; 9:1-3, 5; 10:7  
DOPGN 3:4; 5:2, 4, 11, 16, 27  
DOPGNM 3:4; 5:2, 11, 26  
DoPickSwitch 3:6; 11:1, 5; 12:2  
DOPL 3:4; 5:2, 6, 8  
DOPM 3:4; 5:2  
DOPMS 2:5; 3:4; 5:2  
DoPolygon 3:4; 5:2, 4, 11, 16, 27; 6:3  
DoPolygonMesh 3:4; 5:2, 11, 26  
DoPolyline 3:4; 5:2, 6, 8  
DoPolymarker 3:4; 5:2  
DoPopMatrix 2:9; 3:10; 4:25; 7:1, 9-10, 16; 9:9  
DOPPMX 2:9; 3:10; 4:25; 7:1, 9, 16; 9:9  
DoPrimSurf 2:5; 3:4; 5:2  
DOPRJ 3:9; 9:1, 3, 5, 19; 10:7  
DoProjection 3:9; 9:1, 3, 5, 19; 10:7

---

DOPS 3:6; 11:1, 5; 12:2  
DOPUMX 2:9; 3:10; 4:25; 7:1, 9, 16; 9:9  
DoPushMatrix 2:9; 3:10; 4:25; 7:1, 9, 16; 9:9  
DOREPT 3:6; 6:1-2, 4, 8; 11:2; 12:2  
DoRepType 3:6; 6:1-2, 4, 8, 15; 11:2; 12:2  
DOROT 2:5; 3:10; 4:16; 7:1, 12  
DoRotate 2:5; 3:10; 4:16; 7:1, 12  
DOSC 2:5; 3:10; 7:1  
DoScale 2:5; 3:10; 7:1  
DOSDS 3:7; 6:1-2, 4, 8; 12:3  
DoShadowSwitch 3:6; 6:2; 9:19  
DOSHAS 3:6; 6:2; 9:19  
DoSimplePolygon 3:4; 5:2-3, 11, 14-16, 27  
DoSimplePolygonMesh 3:4; 5:2, 11, 19  
DOSPCC 3:7; 6:2, 13  
DOSPCI 3:7; 6:2, 12, 21  
DOSPCS 3:7; 6:2, 16  
DoSpecularColor 3:7; 6:2, 13  
DoSpecularIntens 6:2, 12, 21  
DoSpecularSwitch 3:7; 6:2, 16  
DOSPGN 3:4; 5:2-3, 11, 14-16, 27  
DOSPM 3:4; 5:2, 11, 19, 26  
DoSubDivSpec 3:7; 6:1-2, 4, 8-9; 12:3  
DOTA 3:8; 8:1, 4  
DOTC 3:7; 6:2, 14  
DOTEF 3:8; 8:1  
DoText 3:4; 5:2; 6:3; 8:1, 5  
DoTextAlign 3:8; 8:1, 4  
DoTextExpFactor 3:8; 8:1  
DoTextFont 3:8; 8:1  
DoTextHeight 3:8; 8:1  
DoTextPath 3:8; 8:1  
DoTextSpace 3:8; 8:1  
DoTextUpVector 3:8; 8:1  
DOTF 3:8; 8:1  
DOTH 3:8; 8:1  
DOTI 3:7; 6:2, 12  
DOTOR 3:4; 5:2-3  
DoTorus 3:4; 5:2-3; 14:20  
DOTPA 3:8; 8:1  
DoTranslate 2:5; 3:10; 7:1, 4, 12  
DoTranspColor 3:7; 6:2, 14  
DoTranspIntens 3:7; 6:2, 12  
DoTranspSwitch 3:7; 6:2  
DoTriangleList 3:4; 5:2-3, 8-9, 11

---

DoTriangleMesh 3:4; 5:2, 11–12, 26  
DOTRIL 3:4; 5:2–3, 8, 11  
DOTRIM 3:4; 5:2, 11, 26  
DOTSP 3:8; 8:1  
DOTUV 3:8; 8:1  
DOTXT 3:4; 5:2; 8:1, 5  
DoVarLineList 3:4; 5:2, 21  
DoVarPointList 3:4; 5:2  
DoVarSimplePolygonMesh 3:4; 5:2, 22  
DoVarTriangleMesh 3:4; 5:2, 21–22  
DoView 3:10–4; 10:2  
DOVLNL 3:4; 5:2, 21  
DOVPTL 3:4; 5:2, 21  
DOVSPM 3:4; 5:2, 22  
DOVTRM 3:4; 5:2, 21  
DOVW 3:10–4; 10:2  
DOXLT 2:5; 3:10; 7:1, 12  
DpUpdVarLineList 3:11; 5:2, 22  
DpUpdVarPointList 3:11; 5:2, 22  
DpUpdVarSimplePolygonMesh 3:11; 5:2, 22  
DpUpdVarTriangleMesh 3:11; 5:2, 22–23  
DPUVLL 3:11; 5:2, 22  
DPUVPL 3:11; 5:2, 22  
DPUVSM 3:11; 5:2, 22  
DPUVTM 3:11; 5:2, 22–23  
DSCBV 3:14; 12:2, 5, 19; 13:1; 14:6  
DsCompBoundingVol 3:2, 14; 12:2, 5, 19; 13:1  
DSEA 3:14; 11:1, 3, 12; 12:17  
DSEO 3:14; 11:1–2, 11; 12:3, 19  
DSER 3:14; 11:1, 3, 12; 12:17  
DsExecuteObj 11:1; 12:3; 3:14  
DsExecutionAbort 3:14; 11:1, 3, 12; 12:17  
DsExecutionReturn 3:14; 11:1, 3, 12; 12:17  
DSHO 3:14; 4:2, 26; 13:1  
DsHoldObj 3:14; 4:2, 26–27; 13:1  
DsInputValue 3:15; 13:1, 4  
DsInqClassId 3:15; 4:2–3; 14:1, 5  
DsInqValuatorGroup 3:15; 13:1  
DSQVG 3:15; 13:1  
DsReleaseObj 3:15; 4:2, 27; 13:1  
DsSetErrorVars 3:15; 13:5  
DSSEV 3:15; 13:5  
DSUAV 3:15; 13:2  
DsUpdateAllViews 3:15; 13:2  
DtColorModel 5:4

---

DvInqDefinitionGroup 3:12; 10:2  
DvInqDisplayGroup 3:12-3; 10:2  
DVQDG 3:12; 10:2  
DVQIG 3:12-3; 10:2  
DVSB 3:12; 10:2, 10  
DvSetBoundary 3:12; 10:2, 10  
DvSetRendStyle 2:13; 3:12; 6:16; 9:11; 10:2, 9; 12:2  
DvSetUpdateType 3:13-3; 10:2, 8; 12:2  
DVSRS 2:13; 3:12; 6:16; 9:11; 10:2, 9; 12:2  
DVSUT 3:13-3; 10:2, 8; 12:2  
DVU 4:17, 27; 6:3; 10:2, 8; 12:2-3, 19  
DvUpdate 3:13; 4:7, 17, 27; 6:3; 10:2, 8; 12:2-3, 19

## E

editing 3:11; 4:1, 7, 9, 19, 22, 27  
efficiency 5:9, 26; 10:8; 12:4, 19; 14:20, 24  
element pointer 3:12; 4:5, 9, 19-20, 22-23, 26  
elements, pick path 12:8, 11  
environmental reflection 1:2-3  
example, callback function 11:3  
    picking 12:12  
executability set 3:2; 6:5; 11:1-2, 12  
execution, immediate 12:2-3, 19  
    immediate mode 2:13  
exponent, light spread 9:17  
extension functions 3:15  
    minimum bounding 11:10; 12:6-7

## F

factor, specular 6:13  
features, view 10:4, 9, 26  
field of view 9:4-5  
filter color 6:14-15  
filters 3:2; 6:5; 11:1, 5-6, 12  
finish, matte 6:13  
flag, clear 3:12; 10:4, 10, 26  
foreshortening 9:3; 10:8  
frame functions 3:13  
frames 2:10; 3:2-12, 15; 4:9, 27; 9:8, 10; 10:1-2, 4-5, 7-8, 10, 26  
free 14:15  
function naming conventions 3:1  
functional groups 3:1-3  
functions, device 3:13

---

extension 3:15  
frame 3:13  
group 3:11  
object creation 3:2; 4:2-3  
primitive update 3:11  
system 3:14  
update 3:11; 4:6, 17, 27; 6:3; 12:3, 19  
view 3:12

## G

geometric normal 5:9-10, 15, 23, 26  
geometric normals 5:1, 12, 23, 26; 12:4  
geometric transformation 2:9; 3:3, 10; 4:2, 14; 6:2, 5; 7:1-4, 11, 16;  
9:2, 5, 19  
geometric transformation attributes 3:10  
geometric transformation objects 4:2, 14; 6:5  
geometric transformations 2:5; 5:2; 7:1-3, 5, 8, 16; 9:2, 19; 10:4, 16  
global rendering attributes 9:1, 11, 19  
grey scale 10:23, 26  
group, definition 2:11, 14; 3:12; 10:1, 3-4, 16, 26  
display 2:11; 3:12; 10:1, 3-4, 16, 24, 26; 12:2, 6  
group functions 3:11  
open 3:12; 4:7-8, 20  
valuator 3:15-5; 13:4  
groups 2:6, 10; 3:1; 4:1-3, 5, 7, 9, 11-15, 17-18, 20, 22-23, 27; 6:3;  
7:2; 8:1; 9:1, 9-10; 10:1-5, 8, 16; 12:2, 4-5, 8, 19  
creating objects 4:14  
definition 9:10; 10:1, 3; 12:2, 19  
display 9:10; 10:1, 3, 16; 12:2, 4, 19  
functional 3:1-3  
in-line 4:1, 18

## H

handles, object 3:2; 4:1, 3, 5, 8  
hidden surfaces 12:1, 5  
highlights 1:2; 2:4; 6:13-14, 21; 12:7  
hit list 12:10, 17, 19  
hits 12:1, 10-12, 17-18  
holding objects 4:27

---

## I

icosahedron 5:12  
ID, pick 12:9, 12  
identifiers, class 14:1  
immediate execution 12:2-3, 19  
immediate mode execution 2:13  
independence, device 1:2  
infinity, light source at 9:11, 13  
inheritance 4:15  
initialization, rendering 9:10; 10:4; 12:2, 19  
initialization routine 14:4-5, 7, 9, 14, 24  
in-line groups 4:1, 18  
input, asynchronous 13:2  
input slots 13:1, 4-5  
inside/out rule 5:1, 18, 27  
intensity attributes 6:12  
    light 9:1  
interactive applications 1:2  
interpolation type 3:6; 6:8, 15, 21; 10:26  
invisibility 11:1, 5-6, 12; 14:16

## J

justifying frames in viewports 10:7

## L

labels 4:1, 22  
L-bracket primitive 14:4, 7  
Level, Subdivision 6:1  
level, subdivision 6:1  
Level, Subdivision 6:10  
level, subdivision 6:10  
Level, Subdivision 6:11  
level, subdivision 6:11  
light, ambient 3:9; 6:13, 15, 21; 9:11-13  
light attributes 3:8  
light color 9:1  
light intensity 9:1  
    object's response 2:4  
light source at infinity 9:11, 13  
light spread exponent 9:17  
light type 9:1

---

lights 1:3; 2:2, 8, 10; 3:3, 8; 7:1–9, 11, 16; 9:1–2, 6, 10–17, 19;  
10:2–3, 8, 26  
point 9:13–15, 17  
spot 9:14–17  
line type 3:6; 5:8; 6:3  
line width 5:8  
list, hit 12:10, 17, 19  
local coordinates 7:2, 16; 9:10; 12:12

## M

malloc 14:15  
mapping, range intensity 3:14–27; 10:20–21, 24, 26  
matrix, camera projection 9:1, 3, 5, 19  
current transformation 6:5; 7:1–2, 6, 16  
matte finish 6:13  
measures, rendering efficiency 12:4  
mesh objects 5:1, 11, 26–27  
metallic surface 6:13  
methods 2:2; 4:2, 7, 27; 6:2–3; 10:20, 27; 12:1–3, 19; 14:4, 6–7, 10,  
13–14, 17, 19, 24  
minimum bounding extension 11:10; 12:6–7  
miscellaneous objects 3:10  
model, color 2:3; 5:3–6, 23; 6:14  
RGB color 2:3; 5:5–6  
modeling coordinates 5:4, 26; 7:1–2, 16; 12:12  
modeling space 7:1–2, 13; 9:2  
models, color 5:1

## N

name sets 3:2; 6:5; 11:1, 5, 12  
naming conventions 3:1; 14:1, 10  
normal, geometric 5:9–10, 15, 23, 26  
vertex 5:4, 9, 26  
normals, geometric 12:4; 5:1, 12, 23, 26  
vertex 5:1, 3, 5–6, 12, 23  
numbers, real 2:4, 13–14; 12:11

## O

object, alternate 3:16; 11:1, 10; 12:6; 14:5–6, 14–17, 20  
object creation functions 3:2; 4:2–3  
object handles 3:2; 4:1, 3, 5, 8

---

objects 1:2; 2:2-3, 5-6, 8, 10-11, 13; 3:2-3, 5; 4:1-3, 5-9, 13-15, 17-18, 20, 22, 26; 5:1-2, 6, 8, 11, 22, 26; 6:1-5, 8-9, 12, 14-15, 20; 7:1-3, 11-12, 14, 16; 8:1, 7; 9:1-5, 10-13, 18-19; 10:1-4, 7-8, 16, 24, 26; 11:1-3, 5-6, 10; 12:1-8, 10-13, 17; 13:4; 14:2-7, 14, 17, 19-21, 24  
analytic 6:8  
callback 3:11-5; 11:1; 12:17; 13:4  
camera attribute 9:2-3, 5  
definition 10:1, 3-4, 8; 12:4  
display 4:2; 9:3; 10:1, 3-4, 8; 12:4  
geometric transformation 4:2, 14; 6:5  
holding 4:27  
mesh 5:1, 11, 26-27  
miscellaneous 3:10  
organizational 3:10  
primitive 2:3, 5-6, 8, 10; 3:2-11, 5; 4:2-6, 5, 15; 5:1-2, 8, 11, 26; 6:3, 8, 12, 14-15, 20; 7:1-21, 3, 11-12, 16; 8:7; 9:2-3, 13, 18-19; :0, xii; 10:2-4, 7, 16, 24, 26; 11:2, 5; 12:2, 5, 7, 13, 19; 14:4, 7  
primitive attribute 4:2; 6:1-2, 4, 20; 8:7; 9:2; 10:3, 16; 12:3  
object's response to light 2:4  
objects, studio 2:8, 11; 3:2-3, 8; 4:2; 7:1, 16; 9:1-2, 19; 10:4, 16, 26; 12:2, 19  
studio attribute 9:1, 19; 10:16; 12:2  
open group 3:12; 4:7-8, 20  
order, pick path 12:11  
ordering geometric transformations 7:3  
ordering transformations 7:8  
organizational objects 3:10  
origin, coordinate system 7:12

## P

parallel 3:9; 8:2; 9:1, 3-6, 13, 19; 10:8; 12:12  
path, pick 3:14; 12:1, 8-12, 17  
perspective 2:9; 3:9; 9:1-6, 19; 10:6, 8  
perspective divide 10:6, 8  
pick aperture 3:14-11; 12:1, 7, 10  
pick callbacks 11:3; 12:1, 17  
pick ID 12:9, 12  
pick ID attribute 12:12  
pick path 3:14; 12:1, 8-12, 17  
pick path elements 12:8, 11  
pick path order 12:11  
pickability 11:1, 5-6, 12; 12:7  
pickability switch 12:7

---

picking 2:2; 3:6; 6:2; 11:3; 12:1-3, 7, 11-12, 19; 14:17  
picking example 12:12  
plastic surface 6:13  
point lights 9:13-15, 17  
pointer, element 3:12; 4:5, 9, 19-20, 22-23, 26  
polygon, simple 3:4, 11; 5:14-16, 19, 21-22; 14:4, 10, 14, 20  
position, camera 2:9; 9:10  
preconcatenation 7:1  
primitive attribute 2:2; 4:2; 6:1-5, 12, 20; 8:7; 9:2-21, 18-19; 10:3, 16; 12:2-3, 19  
primitive attribute objects 4:2; 6:1-2, 4, 20; 8:7; 9:2; 10:3, 16; 12:3  
primitive attributes 2:8; 3:3, 5; 4:13; 5:2, 26; 6:2-3, 7, 15, 20; 7:16; 8:2, 7; 9:19  
L-bracket 14:4, 7  
primitive objects 2:3, 5-6, 8, 10; 3:2-11, 5; 4:2-6, 5, 15; 5:1-2, 8, 11, 26; 6:3, 8, 12, 14-15, 20; 7:1-21, 3, 11-12, 16; 8:7; 9:2-3, 13, 18-19; 10:2-4, 7, 16, 24, 26; 11:2, 5; 12:2, 5, 7, 13, 19; 14:4, 7  
primitive update functions 3:11  
user-defined 3:2-24; 14:1, 5, 7-8, 11, 13, 23  
primitives 1:3; 2:2-3, 5, 8; 3:2; 4:7-5, 14; 5:1, 11, 21-23, 27; 6:2; 8:1, 7; 14:0-3, 6, 9-10, 19-20, 22, 24  
base 14:1-3, 20, 24  
text 8:1, 7  
variable data 5:21-23, 27  
printing 2:2; 6:2; 12:2  
priorities of views 10:8  
private data 3:16; 5:21, 27; 14:4, 6-7, 10-11, 13-17, 20, 24  
pseudocolor 3:13-14; 10:1, 20, 22, 26

## R

range intensity mapping 3:14-27; 10:20-21, 24, 26  
ratio, aspect 10:7  
ray tracer 1:2; 9:11  
ray tracing 3:9; 6:9; 9:11, 19; 12:19  
real numbers 2:4, 13-14; 12:11  
reference count 4:3, 26-27  
reflection, environmental 1:2-3  
relative coordinate systems 7:1  
relative group definition 7:13-14, 17  
rendering 1:2; 14:3, 6, 13, 16; 2:2, 12; 3:12; 4:17; 5:15; 6:2-3, 13, 15; 9:1-16, 9-11, 18-19; 10:4-3, 9, 26; 11:2, 10, 12; 12:1-7, 19; 13:5; 14:3, 6, 13, 16  
rendering efficiency measures 12:4  
rendering initialization 9:10; 10:4; 12:2, 19

---

rendering style 3:12; 10:4, 9, 26  
representation, display 6:1, 8, 20–21; 12:3  
representation type 2:6; 3:6; 4:5–6, 9; 5:8, 14; 6:1, 5, 7–8, 11, 15,  
21; 11:2  
representations, alternate 14:1–3, 13, 24  
RGB color model 2:3; 5:5–6  
right-hand rule 5:1, 9–10, 15, 26  
right-handed coordinate systems 7:1–2  
rotating 7:1, 5, 8, 16  
routine, creation 4:27–24; 14:4–5, 8, 10, 13, 20–21, 23  
    initialization 14:4–5, 7, 9, 14, 24  
rule, inside/out 5:1, 18, 27  
    right-hand 5:1, 9–10, 15, 26

## S

scale, grey 10:23, 26  
scaling 2:6; 3:10; 5:8; 7:1–2, 8, 16; 13:4  
set, executability 3:2; 6:5; 11:1–2, 12  
sets, name 3:2; 6:5; 11:1, 5, 12  
shadows 1:2; 2:1; 3:6; 4:2; 6:16; 9:12–13, 18–19; 12:4–3, 7  
shearing 7:1, 16  
simple polygon 3:4, 11; 5:14–16, 19, 21–22; 14:4, 10, 14, 20  
slots, input 13:1, 4–5  
smoothflag 5:12, 19, 22–23  
space, modeling 7:1–2, 13; 9:2  
    world 9:2  
specular 1:2; 2:4; 3:7; 6:1–5, 11–15, 21  
specular color 2:4; 3:7; 6:13–5, 15  
specular factor 6:13  
spot lights 9:14–17  
stacking, attribute 4:13, 17; 6:1, 3; 8:1; 9:19  
studio attribute objects 9:1, 19; 10:16; 12:2  
studio object attributes 3:8  
studio objects 2:8, 11; 3:2–3, 8; 4:2; 7:1, 16; 9:1–2, 19; 10:4, 16, 26;  
12:2, 19  
style, rendering 3:12; 10:4, 9, 26  
subdivision 3:9; 6:1, 5, 7–11, 21; 9:11  
Subdivision Level 6:1  
subdivision level 6:1  
Subdivision Level 6:10  
subdivision level 6:10  
Subdivision Level 6:11  
subdivision level 6:11  
surface lighting components 6:11–13, 21

---

metallic 6:13  
plastic 6:13  
surfaces, hidden 12:1, 5  
switch, pickability 12:7  
switches, component 6:12  
system functions 3:14  
world coordinate 7:2  
systems, relative coordinate 7:1  
right-handed coordinate 7:1-2

## T

text attributes 3:7  
text primitives 8:1, 7  
texture attributes 3:8  
tracer, ray 1:2; 9:11  
tracing, ray 1:2; 3:9; 6:9; 9:11, 19; 12:19  
transformation, geometric 2:9; 3:3, 10; 4:2, 14; 6:2, 5; 7:1-4, 11, 16;  
9:2, 5, 19  
ordering 7:8  
ordering geometric 7:3  
translating 7:1, 4, 8, 16  
transparency 1:2-3  
transparent 2:4; 6:1, 11, 14-15, 21; 10:8  
transparent color 2:4; 6:21  
type, camera 2:9  
interpolation 3:6; 6:8, 15, 21; 10:26  
light 9:1  
line 3:6; 5:8; 6:3  
representation 2:6; 3:6; 4:5-6, 9; 5:8, 14; 6:1, 5, 7-8, 11, 15, 21;  
11:2  
vertex 5:3-4, 23, 26  
types, vertex 5:3-4, 23, 26

## U

update functions 3:11; 4:6, 17, 27; 6:3; 12:3, 19  
updating 10:1, 8  
user-defined primitive 3:2-24; 14:1, 5, 7-8, 11, 13, 23

---

## V

valuator group 3:15–5; 13:4  
valuators 1:2; 3:2–5, 10; 13:1–2, 4  
value, default 2:5; 5:8; 6:3  
variable 3:4, 11; 4:3, 5, 15; 5:21–24, 27; 14:2, 5, 14  
variable data primitives 5:21–23, 27  
vertex colors 5:3, 5–6, 23  
vertex normal 5:4, 9, 26  
vertex normals 5:1, 3, 5–6, 12, 23  
vertex type 5:3–4, 23, 26  
vertex types 5:1  
vertices, colored 2:5  
view boundary 3:12; 10:4, 7, 10, 26  
view features 10:4, 9, 26  
  field of 9:4–5  
view functions 3:12  
viewport, device 3:13–14; 10:1, 5, 7, 27; 11:10; 12:6  
viewports, justifying frames in 10:7  
views 2:10; 3:2–12, 15; 4:9, 27; 9:5, 8, 10; 10:1–2, 4–5, 8, 10–11, 14,  
  26; 12:3–27  
  priorities of 10:8  
volumes, bounding 2:2; 11:1, 10; 12:1, 4, 6–7, 19  
  computing bounding 2:2; 12:1, 19

## W

width, line 5:8  
world coordinate system 7:2  
world coordinates 7:16; 9:2, 10; 12:12  
world space 9:2