

# SPP-UX Patch 5.3.128 (Year 2000) Installation Notice—Rev. A

## Contents

Announcements .....	1
What's in This Version? .....	1
Compatibility and Installation Requirements .....	2
Known Problems and Workarounds .....	2
Software Availability in Native Languages .....	2
Product Release Matrix .....	2
Optional Section(s) .....	3
Trademark Notices .....	3

Customer Order Number: B5655-90051

SPP-UX Patch 5.3.128 (Year 2000)

Mfg. Number: B5655-96058

August 1998

Hewlett-Packard Company

**Publication Date:** August 1998

**Copyright** © Copyright Hewlett-Packard Company 1998

Copyright Hewlett-Packard Co. 1998  
This information is subject to change without notice and is  
provided "as is" with no warranty.  
Hewlett-Packard shall not be liable for any direct, indirect,  
special, incidental, or consequential damages in connection  
with the use of this material.

---

## Announcements

This document describes the installation procedure for the SPP-UX 5.3.128 patch for Year 2000 compliance. Please review all instructions and the Hewlett-Packard SupportLine User Guide or your Hewlett-Packard support terms and conditions for precautions, scope of license, restrictions, and limitation of liability and warranties, before installing this patch.

## What's in This Version?

This update is required to make SPP-UX 5.3 Year 2000 compliant and includes a series of patches to SPP-UX commands and utilities. The following are effected with this patch:

ftp  
ftpd  
pot  
rpc.rstatd  
/sbin/date  
/usr/bin/date  
/usr/bin/rlog  
/usr/bin/co  
/usr/sbin/cron  
/usr/bin/at  
/usr/bin/mailx  
/usr/bin/elm  
/usr/bin/elmailias  
/usr/sbin/sar  
/usr/bin/kermit  
/usr/bin/admin  
/usr/bin/cdc  
/usr/bin/delta  
/usr/bin/get  
/usr/bin/prs  
/usr/bin/rmchg  
/usr/bin/rmdel  
/usr/bin/sact  
/usr/bin/sccs  
/usr/bin/unget

## Compatibility and Installation Requirements

To install this patch you must be running SPP-UX 5.3 on an SPP1200, SPP1600, SPP2000, or SPP2200 (S- or X-Class) server. The Year 2000 update for the test station should also be installed. There is no specific installation order imposed; either SPP-UX or the test station may be updated first.

- Step 1** Back up your system before installing the patch.
- Step 2** Login as root.
- Step 3** Insert the tape into the DAT drive on the SPP node.

Enter:

```
/usr/sbin/swinstall -x use_alternate_source=true -x rpc_timeout=9 -x \  
reinstall=true -x allow_downdate=true -x allow_multiple_versions=true -x \  
mount_all_filesystems=false -s /dev/rmt/0m \*
```

- Step 4** Reboot the system.

## Note

If the system has multiple networking interfaces, it is recommended to use the ifconfig utility to shutdown all the interfaces except the one that is associated with the hostname of the system. This will avoid a restriction with swinstall (SD) that will sometimes fail the install with multiple network interfaces.

## Known Problems and Workarounds

None

## Patches and fixes in this version

None

## Software Availability in Native Languages

This SPP-UX 5.3.128 documentation is available in American English only.

## Product Release Matrix

Optional  
Section(s)

The following document provides information about SPP-UX Patch 5.3.128  
(Year 2000):

- *SPP-UX Patch 5.3.128 Release Notice—Rev. A (B5655-96057)*

Trademark  
Notices

